objectflor®
Your Flooring Partner

EXPONA COMMERCIAL CLIC

brochure








See [Feel] Clic

EXPONA COMMERCIAL CLIC

Product Page 3	**Overview** Page 7	**Accessories** Page 27	**GROUP 1** WOOD	**GROUP 2** WOOD	**GROUP 3** STONE	**Environment** Page 28	**Technical data** Page 29	**Contact** Page 30



PRODUCT

Ultra-matt is more than just a surface.

The new ultra-matt finish lends the decors an extraordinary sense of naturalness and depth. Light is gently absorbed rather than reflected. Textures appear calmer, more authentic and of a higher quality.

More character. More impact in the room.

- A particularly natural look
- Pleasant to the touch
- A calm, even surface effect
- Easy to maintain and hard-wearing


Subtle wood structure


Matt wood Structure


Matt stone structure

Feel the performance.

With a wear layer of 0.55 mm, EXPONA COMMERCIAL CLIC is ideally suited for both commercial and domestic use. This robust design flooring offers a host of technical advantages.
Furthermore, EXPONA COMMERCIAL CLIC is manufactured using phthalate-free plasticisers – an added bonus for a healthy indoor environment.


No visible subfloor imperfections -
ideal for renovations – can be laid over tiles – minimal subfloor preparation required.



19 dB impact sound reduction
noticeably quiet – integrated acoustic foam backing – no additional underlay required.



- 5G/2G Välinge system, easy mounting & perfect locking
- For areas with heavy loads and use
- Particularly quiet
- No show-through, laying on tiles possible
- 100 % waterproof
- Low installation height of 6,5 mm
- Schnelle Verlegung, Boden sofort begehbar
- Quick installation, floor immediately walkable
- Surface soft and warm underfoot
- PUR coating – easy cleaning and maintenance






5G / 2G - secure, quick, convenient

Every plank and tile is fitted with the tried-and-tested 5G/2G system. For particularly simple, secure and quick installation with a perfect interlocking fit

The system enables efficient installation without tools. Thanks to a special, integrated plastic tongue at the end, the planks click securely into place when pressed down. The result is a stable, flush lock both horizontally and vertically.




Advantages of the 5G/2G system:

Quick installation:
The panels are angled at the long side and locked into place at the end by simply pressing down (fold-down).


High stability:
An elastic spring snaps into a wedge groove, ensuring a firm connection, often accompanied by an audible ‘click’.

Easy dismantling:
The panels can be easily released and repositioned if required.

Fold-down installation
The quick and easy locking system, requiring no additional tools.



Plastic spring:
Thanks to a special, integrated plastic spring at the end, the planks click into place when pressed down.





See the layers. Feel the quality.

EXPONA COMMERCIAL CLIC planks and tiles consist of several layers that are thermally bonded and thus firmly joined together. The surface is pre-treated with a PUR coating at the factory.

PUR-finish –
easy cleaning and maintenance

0,55 mm wear layer

For areas subject to heavy wear and use, class 34 & 23


Warm-to-the-foot surface

Easy to maintain and hard-wearing

Particularly quiet (19 dB) thanks to the IXPE impact sound insulation layer

Low installation height of 6.5 mm

ideal for renovations



100 % waterproof -

suitable for damp rooms and high-traffic areas






















GROUP 1

GROUP 2

GROUP 3

See [Feel] Clic

COLLECTION OVERVIEW

Nature is our inspiration.

A design floor is more than just a functional surface – it shapes rooms and sets stylistic accents. But how do you create a decor that looks modern while remaining natural and timeless?


The answer lies in the interplay of trend awareness, design expertise and technical precision. And the rule is: nature is always the model.

Our designers analyse international trends, talk to architects and draw inspiration from art, fashion and nature. The aim is not only to reflect the spirit of the times, but to be ahead of it. Today, the focus is on calm woods, soft stone decors and matt surfaces – minimalist, harmonious, authentic.

The focus today is on calm wood finishes, subtle stone looks and matt surfaces – understated, harmonious and authentic.

Colours, textures and details are carefully composed so that every EXPONA finish looks natural whilst meeting the demands of everyday life.

Group 1



See [Feel]



Calm Surface. Bold Design.
Natural grain patterns, understated colour schemes and ultra-matt finishes create a warm, high-quality ambience.





9101
Linen Oak

A soft oak shade in a light cream tone and generous size with a subtle texture – for a timeless flooring concept with an ultra-matt finish.

- Plank
- Bevelled edges
- Subtle wood structure
- Ultra-matt surface
- Pattern and/or colour variation
- In-register embossed surfaces



228,0 x 1520,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9104
Essence Oak

A warm oak shade and a harmoniously calm grain in a generous format – for a minimalist design with an ultra-matt finish.

- Plank
- Bevelled edges
- Subtle wood structure
- Ultra-matt surface
- Pattern and/or colour variation
- In-register embossed surfaces



228,0 x 1520,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9103
Balance Oak

Distinctive dark oak grain meets a natural play of colours – for a bold, modern design with an ultra-matt finish.

- Plank
- Bevelled edges
- Subtle wood structure
- Ultra-matt surface
- Pattern and/or colour variation
- In-register embossed surfaces



228,0 x 1520,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9105
Loft Oak

A warm oak colour and a fine, calm grain in a large format – for a subtle, elegant effect with a ultra-matt finish.

- Plank
- Bevelled edges
- Subtle wood structure
- Ultra-matt surface
- Pattern and/or colour variation
- In-register embossed surfaces



228,0 x 1520,0 mm






Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room







View Design

Your room. Your style. Your design – Discover with Live! My Room.


Upload a room photo.
Experience your new floor in your own space.

Live! My Room

9102
Downtown Oak

Rich, dark-toned oak finish in a contemporary format with a vibrant colour gradient – complemented by an elegant, ultra-matt finish.

- Plank
- Bevelled edges
- Subtle wood structure
- Ultra-matt surface
- Pattern and/or colour variation
- In-register embossed surfaces



228,0 x 1520,0 mm

Group 2



See [Feel]



Design the Space. Define the Place.
Expressive wood finishes with depth and character give rooms their identity.





9106
Nordic Oak

Natural colouring and a balanced texture in a generous size – for an authentic wood-like character with an ultra-matt finish.

- Plank
- Bevelled edges
- MaHs — Matt wood structure
- MATT — Ultra-matt surface
- Pattern and/or colour variation



181,0 x 1220,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9108
Haven Oak

Combining classic elegance with a rustic character, this creates a light, summery design – enhanced by an ultra-matt finish.

- Plank
- Bevelled edges
- Matt wood structure
- Ultra-matt surface



181,0 x 1220,0 mm





Your room. Your style. Your design – Discover with Live! My Room.

Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9109
Urban Oak

Subtle variations in grain and colour give the oak look a lively appearance – accentuated by an ultra-matt finish.

- Plank
- Bevelled edges
- Matt wood structure
- Ultra-matt surface
- Pattern and/or colour variation



181,0 x 1220,0 mm





View Design

Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9107
True Oak

Classic oak texture with colour contrasts and subtle signs of wear – striking grain, precisely embossed and finished with an ultra-matt finish.

- Plank
- Bevelled edges
- MaHs — Matt wood structure
- MATT — Ultra-matt surface
- Pattern and/or colour variation



181,0 x 1220,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9115
Amber Oak

An oak design with a natural, lively appearance and subtle variations in grain and colour – enhanced with an ultra-matt finish.

- Plank
- Bevelled edges
- MaHs — Matt wood structure
- MATT — Ultra-matt surface
- Pattern and/or colour variation



181,0 x 1220,0 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room

Group 3





See [Feel]

Where Surface becomes Substance.
Clean, minimalist surfaces for modern architectural concepts.





9096
Prime Concrete

Light grey floor tiles in a concrete design, whose fine-grained surface is interspersed with particles and, combined with the ultra-matt finish, creates a natural effect.

- Tile
- Bevelled edges
- Matt stone structure
- Ultra-matt surface



400,0 x 914,4 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9098
Studio Concrete

An authentic concrete look in a warm grey shade, enlivened by a fine-grained texture and loosely distributed particles – ultra-matt.

- Tile
- Bevelled edges
- Matt stone structure
- Ultra-matt surface



400,0 x 914,4 mm





View Design

Your room. Your style. Your design – Discover with Live! My Room.

Upload a room photo.
Experience your new floor in your own space.


Live! My Room



9093
Pure Concrete

A grey concrete-effect finish with an authentic, fine texture and dynamically arranged particles – complemented by an ultra-matt surface.

- Tile
- Bevelled edges
- Matt stone structure
- Ultra-matt surface



400,0 x 914,4 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9097
Pearl Concrete

Floor tiles with a natural concrete look, a fine texture and irregularly distributed particles – with an ultra-matt finish.

- Tile
- Bevelled edges
- Matt stone structure
- Ultra-matt surface



400,0 x 914,4 mm





Your room. Your style. Your design – Discover with Live! My Room.
Upload a room photo.
Experience your new floor in your own space.

Live! My Room



9099

Foundry Concrete

Tiles in an elegant dark grey, whose fine concrete texture and random particle arrangement create a modern, vibrant effect – with an ultra-matt finish.

- Tile
- Bevelled edges
- Matt stone structure
- Ultra-matt surface



400,0 x 914,4 mm





Your room. Your style. Your design – Discover with Live! My Room.


Upload a room photo.
Experience your new floor in your own space.

Live! My Room

Formats

We believe it essential that the dimensions of our products are tailored to the specific design. At the end of the day, the perfect ambience is all in the details.


228,0 x 1520,0 mm




181,0 x 1220,0 mm



400,0 x 914,4 mm







2633 I Raven Stripe Zone



2634 I Iron Stripe Zone



2635 I Blue Stripe Zone



2636 I Brown Stripe



2599 I Black Zone




2598 I Tundra Zone



2597 I Grey Zone



2596 I Ruby Zone



2632 I Aqua Zone



2631 I Green Zone

EXPONA SIMPLAY Carpets ENTRANCE.

Planks for entrance areas.

It’s a well-known fact that first impressions count. And that’s why our entrance planks are the perfect complement to the EXPONA COMMERCIAL CLIC range – particularly in foyers.




177,8 x 1219,2 mm

Further information

Skirting boards.

Each of the design floors in our range can be paired with matching skirting boards made from top-quality MDF base with a protective film covering. The collection also contains three neutral skirting boards in Classic Black, Alu Metallic and White. The CLIPSTAR system is perfect for installing flooring without any unsightly screws.



CLIPSTAR

Content per box
5 pieces | length 2,40 m per piece

Contents: 50 Clips and fastening material
Space between clips: 25-50 cm
Item no.: Clips

Technical data

Connected to nature.
Committed to responsibility.

We develop EXPONA COMMERCIAL CLIC with a conscious focus on quality, longevity and the responsible use of resources. Regular testing of emission properties provides reassurance and transparency – for floor coverings that meet high quality standards and contribute to good indoor environmental quality.

In France, product tests are performed using the test method in accordance with ISO 16000 and the emissions behaviour of VOCs is assessed. All EXPONA flooring has been given the best rating A+.

EXPONA design flooring has the “Indoor Air Comfort Gold” rating. This certificate issued by Eurofins is awarded to products with VOC emission levels below any globally determined VOC limits. All EXPONA flooring is also 100% recyclable and can be reused in materials and fuel. The recycled materials are integrated into new production insofar as this is possible.

As a member of the European Resilient Flooring Manufacturer’s Institute (ERFMI), objectflor – a subsidiary of James Halstead plc – supports the goal of sustainable building and has drawn up an environmental product declaration (EPD) for the flooring EXPONA COMMERCIAL. EXPONA floorings have been assessed in accordance with the EN 15804 programme of the “Institut Bauen und Umwelt e.V.” (IBU) for ecological building assessment.

EXPONA floorings hold FloorScore, BRE and LEED Credits certification around the world.



EXPONA COMMERCIAL CLIC: LVT flooring with a rigid base produced using phthalate-free plasticisers, backed with an IXPE impact sound insulation layer and the patented 5G/2G Välinge floating floor system.

Technical data

Characteristics	Standards	Unit	EXPONA COMMERCIAL CLIC
Type of floor covering	EN 16511		multilayer, modular
Surface treatment			PUR
Total weight	EN ISO 23997	g/m²	9600
Use Area	EN ISO 10874		23 34
Gauge	EN 17539	mm	6,5
IXPE acoustic layer thickness		mm	1,0
Wear layer thickness	EN ISO 24340	mm	0,55
Packaging plank size	EN 17539	mm	10 @ 181,0 x 1220,0 = 2,21 m² 6 @ 228,0 x 1520,0 = 2,08 m²
Packaging tile size	EN 17539	mm	6 @ 400,0 x 914,4 = 2,19 m²
Dimensional stability	EN ISO 23999	%	≤ 0,15
Residual indentation	EN ISO 24343-1	mm	≤ 0,15
Impact resistance	EN 13329 Annex F	mm	pass ≥ 1800
Colour fastness to artificial light	EN ISO 105-B02	level	≥ 6
Reaction to Fire	EN 13501-1		Bfl - s1

Characteristics	Standards	Unit	EXPONA COMMERCIAL CLIC
Slip resistance	EN 13893 DIN EN 16165 Ann. B		DS R10
Impact sound reduction	EN ISO 10140-3	dB	19
Resistance to thermal conductivity	EN 12667	m² K/W	0,037
Resistance to chemicals	EN ISO 26987		*
Abrasion group	ISO 24338 Procedure B		≥ 7000 cycles
Binder content	EN ISO 10582		type I
Castor chair	ISO 4918		yes, 25000 cycles, type W
Swelling	ISO 24336	%	pass (0,0)
Furniture leg	EN ISO 16581 (foot type 0)		pass
Underfloor heating	EN 1264-2		suitable, max. 27 °C
VOC emissions	Indoor Air Comfort® GOLD FloorScore® AgBB VOC test		Eurofins certified product certified very low emissions
CE	EN 14041		B_{fl}-s1 DS NA HCHO DL PCP

* Resistant depending on concentration and time of exposure, in case of increased impact of oils, grease, acids, alkalis and other aggressive chemicals – please contact us.

Subject to change due to further technical development.

You will find the most up-todate technical specifications and certificates on our website www.objectflor.de.

PUR · 100% RECYCLABLE · Indoor Air Comfort eurofins GOLD Certified Product · floorscore certified by SCS Global Services · 100% Phthalate Free · 19 dB · 5G · 2G · 100% WATERPROOF



objectflor®
Your Flooring Partner

Service

Our products are renowned to be longlasting and quick to install. Our team is also quick off the mark when it comes to customer service, advice and delivery.
objectflor is one of Europe's leading providers of resilient floorings for commercial and residential properties. Our floorings are dispatched to you quickly, straight from our state-of-the-art central warehouse. Would you like a sample? Simply let us know!

Kontakt

www.objectflor.de

info@objectflor.de
Tel. +49 (0) 2236 96633-0
Fax +49 (0) 2236 96633-99